

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S56	776	(address or id or identify) near4 (device or unit or peripheral or element or apparatus or computer) near4 order near4 (bit or byte)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/03 16:18
S57	29	S56 near4 (determ\$6 or calculat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/03 16:18
S58	24	order near3 bit near3 (determ\$6 or calculat\$4) near3 address near4 bus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/03 16:18
S59	776	(address or id or identify) near4 (device or unit or peripheral or element or apparatus or computer) near4 order near4 (bit or byte)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 09:04
S60	29	S59 near4 (determ\$6 or calculat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 09:04
S61	24	order near3 bit near3 (determ\$6 or calculat\$4) near3 address near4 bus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 09:04
S62	776	(address or id or identify) near4 (device or unit or peripheral or element or apparatus or computer) near4 order near4 (bit or byte)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 09:04
S63	29	S62 near4 (determ\$6 or calculat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 09:04
S64	24	order near3 bit near3 (determ\$6 or calculat\$4) near3 address near4 bus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 09:04

EAST Search History

S65	64	(chip or IC or PLD or (integrated near circuit) or (programmable near logic\$3)) with ((send\$4 or transmit\$4 or transf\$4) near3 (request\$4 near4 address))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 09:04
S66	69144	(ID or identity or address) near3 (acquisition or acquir\$4 or obtain\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 09:05
S67	19	S66 and ((chip or IC or PLD or (integrated near circuit) or (programmable near logic\$3)) with ((send\$4 or transmit\$4 or transf\$4) near3 ((Retriev\$4 or get\$4 or obtain\$4) near4 (address or ID or identity))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 09:05
S68	1134	710/62.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 10:44
S69	627	710/3,4.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 10:51
S70	120374	(Determin\$4 or establish\$4 or get\$4 or acquir\$4 or obtain\$4 or attain\$4) with (Device or peripheral or unit or element or component) with (ID or identification or identity or address or identify\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 16:06
S71	181	S68 and S70	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 10:52
S72	235	S69 and S70	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 10:52
S73	181978	(ID or identification or identity or address or identify\$4) with (bit or byte)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 16:05

EAST Search History

S74	70	S71 and S73	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 10:55
S75	160	S72 and S73	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 15:27
S76	139051	(Determin\$4 or establish\$4 or get\$4 or acquir\$4 or obtain\$4 or attain\$4 or assign\$5) with (Device or peripheral or unit or element or component) with (ID or identification or identity or address or identify\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 16:07
S77	1774	(two\$wire or three\$wire or four\$wire) near3 bus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 16:08
S78	308	S76 and S77	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 16:08
S79	15	S76 same S77	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 16:11
S80	51	700/24.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 16:12
S81	1	S77 and S80	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 16:27